

Induction deep fat fryer 2x8L Plus



Description

The powerful induction technology ensures the ideal temperature setting – at all times. The desired food is fried in a precise process to guarantee top results.

Features

• Heating element in stainless steel:	No
• Heating element:	Induction coil
• Equipment connection:	Pluggable
• Power load:	2 x 3,5 kW 2 x 230 V 50-60 Hz
• Size basket:	W 190 x D 230 x H 145 mm
• Basket content:	5.5 litre(s)
• Grease collection tank:	No
• Series:	-
• Colour:	Silver grey
• Type:	Table-top unit
• Operating mode:	Electric (Induction)
• Number of tanks:	2
• Size basin:	W 238 x D 300 x H 205 mm
• Beaker capacity:	8 litre(s)
• Number of baskets:	2
• Cold zone:	No
• Safety thermostat:	Yes

► Continue on the next page

► Powerful induction technology for a perfect frying temperature



► Container content: 2 x 8 litres



► Basket volume: 2 x 5.5 litres



► 2 grease drain taps



► Includes
✓ 2 lids
✓ 2 perforated trays

Induction deep fat fryer 2x8L Plus

- Grease release tap: Yes
- Temperature range: 60 °C to 190 °C
- Control unit: Toggle
- Control lamp: Heat up
Keeping warm
- ON/OFF switch: Yes
- Height-adjustable feet: No
- Properties: Heating element made of copper
- Including: 2 lids
2 perforated trays
- Material: Stainless steel
- Important information: 2 separate sockets required
- Size: W 580 x D 590 x H 425 mm
- Weight: 23 kg



Induction deep fat fryer 2x8L Plus

Add on Products

Oil and grease remover F1L



- Order quantity unit: 1 box (6 bottles)
- Designed for: Wipe-off work surfaces, stainless steel surfaces
Tiled walls and floors
Highly effective against deposits in coffee cans
Machines, appliances
- Content: 6 x 1 litre
- Model: Liquid

Code-No. 173276
GTIN 4015613773339

Fryer basket Induction 8L Plus



- Size basket: W 190 x D 230 x H 145 mm
- Content: 5.5 litre(s)
- Material: Stainless steel
- Important information: -
- Size: W 194 x D 475 x H 215 mm
- Weight: 0.81 kg

Code-No. 165122
GTIN 4015613742106

Deep-fat frying oil filter TK60



CNS
18/10



- Throughput volume: 60 litres / minute
- Cycle time: 4.5 minute(s)
- Designed for: Tanks up to 20 litres
- Particle capacity: 1.7 litre(s)
- Temperature range to: 200 °C
- Portable: Yes
- Battery operation: No

Code-No. 162655
GTIN 4015613870793